

PRESS INFORMATION

September 2014





INTRODUCTION

<u>History</u>

In 1987, a new concept was born from the idea of adding the underseat storage in Japan.

Although a rare convenience feature 28 years ago, SUZUKI has been developed this personal rider utility phenomenon with the Address — combining "add" and "dress" to imply wardrobe or gear.

With some 640,000 units sold to date, the Address has transcended mere popular culture to become the stuff of urban legend.

Today, nearly three decades later, the Address has undergone numerous transformations. Such as the SUZUKI new technology engine powering unprecedented performance and efficiency for its size, precision fuel-injection technologies, and a host of other epoch-making innovations that create new history..

The product concept of Address is ;

"GET AROUND ALL-ROUNDER".

A lifestyle statement that says as much about your personality as where you want to go, this head-turning, street-smart all-rounder is more than a stylish commuter. Sporting breathtaking acceleration and optimized fuel economy, and an accommodating 20.6 liter luggage compartment that provides more than ample room for your helmet and riding gear. Plus, the sleek city dimensions makes every ride — whether it's to the school or office, shopping runs — a sheer excitement.

Major features of the Address are;

- Utility features:
 - Large 20.6L utility box
 - Both right and left side inner pocket can store plastic water bottle
 - Covered key with seat opener function
 - Cutaway floor board
 - Side stand interlock system
 - Rear carrier
 - Convenient hook
 - Double helmet hooks
 - Rear brake lock system
- Performance features:

Great fuel economy 1.96L/100km in WMTC mode 265km long range with full-fill fuel tank Good acceleration and top speed Good combustion with controlled combustion speed Low friction engine

CONCEPT CHART

Address



Address

UTILITY

20.6L large underseat storage

The 20.6L underseat storage accommodates a full-face helmet, as well as ample space to store riding gloves, raingear, and other small items in a recessed rear area of the compartment.





* Helmets and luggage items are shown for illustrative purpose only.

*Helmets of certain shapes may not fit in the underseat storage compartment.

*Do not use the storage compartments for items that are fragile, valuable, dangerous, or susceptible to heat.

Large front inner pockets

- Spacious inner pockets featured on both right and left sides offer even more convenient storage and quick access.
- Right side inner pocket of SUZUKI Address is smartly integrated with the key cylinder in order to hold a large 500 ml plastic water bottle. (Total maximum weight 1.5 kg)





UTILITY

Address

Covered key with seat opener function

- The ignition key cylinder is veiled by a shuttered cover, which is opened and closed using a magnet embedded on the tip of the key.
- You can open the seat easily by just turning the ignition key to left.



Cutaway floor board

For comfortable positioning, the floorboard is recessed where your feet contacts the board.

Side stand interlock system

> Side stand switch prevents engine ignition, while the side stand is down.

Rear Carrier

The standard rear carrier can be fitted with a genuine accessory top case basement. (Maximum weight 6 kg)

Convenient hook

 A sturdy convenience hook lets you hook and carry your many types of bag. (Maximum weight 1.5 kg)

Double helmet hooks

Reinforced hooks on both right and left sides allow for helmet stowage and convenience when parked.

Rear brake lock system

The rear brake can be locked in the engaged position. Useful for stabilizing the vehicle for parking using the side stand.

UTILITY

Address



PERFORMANCE

Great fuel economy 1.96L/100km in WMTC mode

- 113 cm3 displacement engine sets standards in great 1.96L/100km fuel efficient in WMTC mode.
- Fuel tank capacity is 5.2L.
- > Combined with tis great fuel efficient, riding range is amazing 265km.

*Measured by SUZUKI in WMTC mode.

*Actual fuel economy may vary by condition.

Good acceleration

> Powerful acceleration, especially at low and medium speeds.

Engine output	6.7kW/8,000rpm
Engine torque	8.6Nm/6,500rpm

Good combustion with controlled combustion speed

- The key for the good combustion is precise control the combustion speed. SUZUKI engineers improved the combustion efficiency by focusing on the tumble motion in the combustion chamber.
- Tumble motion is the vertical flow generated when the air-fuel mixture enters the combustion chamber from the intake port.
- Suzuki optimizes the shape of intake port and narrow valve angles, the surface of exhaust valve head.



PERFORMANCE

Low friction engine

- The roller bearing on the rocker arm smoothly opens and closes the valves, contributing to further friction reduction between them and the camshaft.
- The piston height and pin diameters, skirt area are downsized, which results in lower overall weight of the piston.
- By significantly decreasing the frictional resistance of the camshaft and rocker arm, engine oil requirement is reduced. This, in turn, makes it possible to minimize the oil pump capacity and decrease the size and weight of the pump itself.





STYLING

Styling design concept is;

"Sharp and youthful"

Sharper and pronounced edges of the Address make you stand out everywhere you go. This youthful fresh design sets a new universal standard for on-the-go ride-ability.

And attention to every detail — from the refined overall dimensions and rear fender shape, exhaust muffler shape — earns glances on every road you take.

*Styling design sketches





STYLING

Instrument panel

Designed for easy visibility, the large speedometer is located in the center panel. To further ensure at-a-glance viewing of current speed and malfunction indicator, fuel gauge, high beam indicator, each gauge is separated by raised dividers.



*European spec shown.

*All lights and indications are illuminated in the photo for illustrative purposes.

COLOR OPTIONS

Address



Metallic Ice Silver (YNJ)



Titan Black (YVU)



Brilliant White (YUH)

ACCESSORIES

Address

Genuine Accessories



Rear top case



Windscreen / Knuckle cover



Inner cover



Body striping



Wheel pinstiripe – type A



Wheel pinstiripe – type B

SUMMARY & SPECIFICATIONS

Address

Summary of Advantages

- ➢ Great fuel economy 1.96L/100km in WMTC mode.
- Good acceleration
- > 20.6L large underseat storage.
- Large front inner pockets.
- > Covered key with seat opener function.
- Cutaway floor board.
- Rear Carrier.

		1
Overall length		1,845 mm (72.6 in)
Overall width		665 mm (26.2 in)
Overall height		1,095 mm (43.1 in)
Wheelbase		1,260 mm (49.6 in)
Ground clearance		120 mm (4.7 in)
Seat height		755 mm (29.7 in)
Curb mass		97 kg (214 lbs)
Engine type		4-stroke, 1cylinder, air-cooled, SOHC
Bore x Stroke		51.0 mm x 55.2 mm (2.008 in x 2.173 in)
Displacement		113 cm (6.9 cu.in)
Compression ratio		9.4 : 1
Fuel system		Fuel injection
Starter system		Electronic and primary kick
Lubrication system		Wet sump
Transmission		СVТ
Suspension	Front	Telescopic, coil spring, oil damped
	Rear	Swingarm type, coil spring, oil damped
Rake / Trail		25°45 / 97 mm (3.82 in)
Brakes	Front	Disc brake
	Rear	Drum brake
Tires	Front	80/90 – 14 M/C 40P
	Rear	90/90 – 14 M/C 46P
Ignition system		Electronic ignition (Transistorized)
Fuel tank capacity		5.2 L (1.4 US gal.)
Oil capacity (Overhaul)		0.8 L (0.2 US gal.)

Specifications